

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 61-242607

(43)Date of publication of application : 28.10.1986

(51)Int.Cl.

B01D 13/01
A61M 1/18

(21)Application number : 60-084505

(71)Applicant :

ASAHI CHEM IND CO LTD

(22)Date of filing : 22.04.1985

(72)Inventor :


YOKOYAMA TAKAYUKI
KIKUCHI TOSHIAKI

(54) PREPARATION OF HOLLOW YARN TYPE MODULE HAVING SLIT

(57)Abstract:

PURPOSE: To easily form a slit penetrating through a bonded fixing part of a hollow yarn membrane by previously arranging a scarcely adhesive flexible body which has been formed to a same shape as a desired slit to the part for bonding, then removing the flexible body after curing the charged adhesive.

CONSTITUTION: A flexible body 2, such as polystyrene foam, comprising a scarcely adhesive material to an adhesive material to be used for bonding, formed to a same shape as a desired slit 7, is previously arranged together with a hollow yarn bundle 3 in a case 1. The adhesive material 6 is charged from a vessel 4 through a hose 5 into the case 1 and a bonded part is formed by the centrifugal bonding method. The flexible body 2 alone is removed from the bonded part after the adhesive material is cured. Thus, a slit 7 is formed to the part left after removal of the flexible body 2.



LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office